

# Drill Pipe Data

Size	New Drill Pipe					O.D. Premium Class Drill Pipe	
	Nominal Weight <sup>1</sup> , lbs./ft.	Plain End Weight, lbs./ft.	O.D., Inches	I.D., Inches	Wall Thickness, Inches	O.D. With 20% Wall Reduction, Inches	Minimum Remaining Wall, Inches
2-3/8	4.85	4.43	2-3/8	1.995	.190	2.2990	.152
2-3/8	6.65	6.26	2-3/8	1.815	.280	2.2630	.224
2-7/8	6.85	6.16	2-7/8	2.441	.217	2.7882	.174
2-7/8	10.40	9.72	2-7/8	2.151	.362	2.7302	.290
3-1/2	9.50	8.81	3-1/2	2.992	.254	3.3984	.203
3-1/2	13.30	12.31	3-1/2	2.764	.368	3.3528	.294
3-1/2	15.50	14.63	3-1/2	2.602	.449	3.3204	.359
4	11.85	10.46	4	3.476	.262	3.8952	.210
4	14.00	12.93	4	3.340	.330	3.8680	.264
4	15.70	14.69	4	3.240	.380	3.8480	.304
4-1/2	13.75	12.24	4-1/2	3.958	.271	4.3916	.217
4-1/2	16.60	14.98	4-1/2	3.826	.337	4.3652	.270
4-1/2	20.00	18.69	4-1/2	3.640	.430	4.3280	.344
4-1/2	22.82	21.36	4-1/2	3.500	.500	4.3000	.400
5	16.25	14.87	5	4.408	.296	4.8816	.237
5	19.50	17.93	5	4.276	.362	4.8552	.290
5	25.60	24.03	5	4.000	.500	4.8000	.400
5-1/2	19.20	16.87	5-1/2	4.892	.304	5.3784	.243
5-1/2	21.90	19.81	5-1/2	4.778	.361	5.3556	.289
5-1/2	24.70	22.54	5-1/2	4.670	.415	5.3340	.332
6-5/8	25.20	22.19	6-5/8	5.965	.330	6.4930	.264
6-5/8	27.70	24.22	6-5/8	5.901	.362	6.4802	.290

<sup>1</sup> Based on Threads and Couplings